

XIAMEN JINZI HEALTH TECHNOLOGY CO.,LTD  
ROOM 101,NO.689, JI'AN DISTRICT, TONG'AN DISTRICT, XIAMEN,CHINA

Sample Description : CERAMIC COATED HOT PLATE  
Supplier Item No. : PBXBXXX  
Manufacturer : XIAMEN JINZI HEALTH TECHNOLOGY CO.,LTD  
Supplier : DANSONS US, LLC  
Country of Destination : UNITED STATES

As above test item and its relevant information regarding to the submission are provided and confirmed by the applicant. SGS is not liable to either the test item or its relevant information, in terms of the accuracy, suitability, reliability or/and integrity accordingly.

\*\*\*\*\*

SGS Ref No. : CANHG2118138401  
Sample Receiving Date : Sep 27, 2021  
Test Performing Date : Sep 27, 2021 to Oct 08, 2021  
Test Performed : Selected test(s) as requested by applicant

**Test Result Summary**

No.	Test(s) Requested	Result(s)	Comments
1	US California Proposition 65 (Superior Court of the State of California – County of San Francisco Case No. 938430) – Leachable Lead and Cadmium Content (internal surface)	PASS	/
	US FDA CPG Sec. 545.400 (CPG 7117.06) and CPG Sec. 545.450 (CPG 7117.07) Pottery (Ceramics) and California Tableware Safety Law – Leachable Lead and Cadmium Content (Internal surface)	PASS	/
For further details, please refer to the following page(s)			

Signed for and on behalf of  
SGS-CSTC Standards Technical Services Co., Ltd. Shunde Branch



Snow Zhang  
Authorized Signatory

scan to see the report



SDHL2109017818GA-02



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shunde Branch Headquarters

1/F, 1<sup>st</sup> Building, European Industrial Park, No.1 Shunde South Road, Wusha Section, Daliang Town, Shunde, Foshan, Guangdong, China 528333 t (86-757)22805888 f (86-757)22805858 www.sgs.com.cn  
中国·广东·佛山市顺德区大良街道办事处五沙顺和南路1号欧洲工业园一号楼首层 邮编: 528333 t (86-757)22805888 f (86-757)22805858 e [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

Test Results :

Test Part Description :

Specimen No.	SGS Sample ID	Description	Material (claimed by the client)
SN1	CAN21-181384.001	Ceramic coated hot plate	Surface ceramic coating + internal iron plate

**US California Proposition 65 (Superior Court of the State of California – County of San Francisco Case No. 938430) – Leachable Lead and Cadmium Content (internal surface)**

Test Method : With reference to AOAC 18th Ed. (2005) Section 973.32. Analysis was performed by ICP-OES.

**Sample 001** Internal Surface (Flatware)

Extract Volume

(mL)

1	334
2	334
3	334
4	334
5	334
6	334
7	334
8	334
9	334
10	334
11	334
12	334



SGS-CSTC Shunde Branch Technical Services Co., Ltd.  
Shunde Branch Harbin

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

1/F, Building European Industrial Park, No.1 Shunhe South Road, Wusha Section, Daliang Town, Shunde, Foshan, Guangdong, China 528333 t (86-757)22805888 f (86-757)22805858 www.sgs.com.cn  
中国·广东·佛山市顺德区大良街道办事处五沙顺和南路1号欧洲工业园一号厂房首层 邮编: 528333 t (86-757)22805888 f (86-757)22805858 e sgs.china@sgs.com

	Leachable Lead ( $\mu\text{g/mL}$ )	Leachable Cad- mium( $\mu\text{g/mL}$ )
1	<0.05	<0.01
2	<0.05	<0.01
3	<0.05	<0.01
4	<0.05	<0.01
5	<0.05	<0.01
6	<0.05	<0.01
7	<0.05	<0.01
8	<0.05	<0.01
9	<0.05	<0.01
10	<0.05	<0.01
11	<0.05	<0.01
12	<0.05	<0.01
Average	<0.05	<0.01
Limit	0.226	1.853

Notes :

Flatware: Ceramic articles which have an internal depth, as measured from the lowest point to the horizontal plane passing through the upper rim, that does not exceed 25 mm.

Hollowware: Ceramic articles having an internal depth, as measured from the lowest point to the horizontal plane passing through the upper rim, greater than 25 mm.

Small hollowware: A capacity of less than 1.1 liter.

Large hollowware: A capacity of 1.1 liter or more.

Cups and mugs: Small ceramic hollowware vessels commonly used for consumption of beverages.

Pitchers: Large ceramic hollowware vessels (sometimes known as jugs) commonly used for the storage and dispensing of fruit and vegetable juices or other acidic beverages at or below room temperature which are normally manufactured without a lid but with a handle and lip spout.

The reference limit applied in testing is based on particular California Proposition 65 settlements that are most similar to the tested product in the opinion of the lab. The testing in this report does not reflect a user's actual exposure to the tested chemical.

A manufacturer or retailer that is not named in the referenced settlement is not bound by that settlement, and may choose to comply with California Proposition 65 by clearly informing the consumer of potential exposure.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

**US FDA CPG Sec. 545.400 (CPG 7117.06) and CPG Sec. 545.450 (CPG 7117.07) Pottery (Ceramics) and California Tableware Safety Law – Leachable Lead and Cadmium Content (Internal surface)**

Test Method : With reference to AOAC 18th Ed. (2005) Section 973.32. Analysis was performed by ICP-OES.

**Sample 001** Flatware

	<u>Extract Volume</u>	
	<u>(mL)</u>	
1	334	
2	334	
3	334	
4	334	
5	334	
6	334	
	<u>Leachable Lead(µg/mL)</u>	<u>Leachable Cadmium(µg/mL)</u>
1	<0.05	<0.01
2	<0.05	<0.01
3	<0.05	<0.01
4	<0.05	<0.01
5	<0.05	<0.01
6	<0.05	<0.01
Average	<0.05	<0.01
Limit	3.0	0.5

Notes :

- Flatware: Ceramic articles which have an internal depth, as measured from the lowest point to the horizontal plane passing through the upper rim, that does not exceed 25 mm.
- Hollowware: Ceramic articles having an internal depth, as measured from the lowest point to the horizontal plane passing through the upper rim, greater than 25 mm.
- Small hollowware: A capacity of less than 1.1 liter.
- Large hollowware: A capacity of 1.1 liter or more.
- Cups and mugs: Small ceramic hollowware vessels commonly used for consumption of beverages.
- Pitchers: Large ceramic hollowware vessels (sometimes known as jugs) commonly used for the storage and dispensing of fruit and vegetable juices or other acidic beverages at or below room temperature which are normally manufactured without a lid but with a handle and lip spout.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

1/F, 1<sup>st</sup> Building, European Industrial Park, No.1 Shunhe South Road, Wusha Section, Daliang Town, Shunde, Foshan, Guangdong, China 528333 t (86-757)22805888 f (86-757)22805858 www.sgs.com.cn  
 中国·广东·佛山市顺德区大良街道办事处五沙顺和南路1号欧洲工业园一号厂房首层 邮编: 528333 t (86-757)22805888 f (86-757)22805858 e sgs.china@sgs.com

Photo Appendix:



CANHG2118138401  
CAN21-181384.001

Remark:

1. This test was subcontracted to SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch.
2. This test report is to supersede No. SDHL2109017818GA-01 test report which was issued on Oct 12, 2021. And the original test reports (paper and electronic) are invalid.

\*\*\*End of Report\*\*\*

